

TYPE SPECIMENS OF SPIDERS (ARANEAE) IN THE QUEENSLAND MUSEUM

VALERIE TODD DAVIES  
JULIE A. GALLON

Queensland Museum

ABSTRACT

The type collection of spiders comprises 64 species of mygalomorphs and 70 species of araneomorphs. Four new synonymies and 3 new combinations are recognised. *Cyrtophora albopunctata* Rainbow and *Cyrtophora simoni* Rainbow are synonymised with *Cyrtophora moluccensis* (Dolesch.), *Uloborus flavolineatus* Rainbow with *Psechrus argentatus* (Dolesch.), and the ♀ syntype of *Araneus transversus* Rainbow with *Gea theridioides* (L. Koch). *Argyrodes argentiopunctata* Rainbow and *Argyrodes nigrinodosa* Rainbow are transferred to *Thwaitesia* and *Meta argentiopunctata* Rainbow is transferred to *Mesida*.

INTRODUCTION

Ninety-eight new type specimens have been added to the collection since Monroe's (1972) list of 36 species. As he indicated, many of the early types are in a poor condition. Some of Rainbow's types which were designated mature have been found to be immature. The species are arranged alphabetically by specific name within families and sub-orders. The senior author takes full responsibility for the new synonymies and combinations.

MYGALOMORPHAE

BARYCHELIDAE

*sordida* Rainbow

1898 *Idiommatia sordida* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 330-1.

QM W3503 (1 ♂ holotype) — Neneba, New Guinea.

CTENIZIDAE

*babindaensis* Main

1969 *Cataxia babindaensis* Main — *J. Aust. Ent. Soc.* 8: 203-5. Figs 6, 27.

QM W3125 (1 ♂ holotype) — 'The Boulders' Nat. Pk, Babinda, Qld.

*eungellaensis* Main

1969 *Cataxia eungellaensis* Main — *J. Aust. Ent. Soc.* 8: 205-6. Figs 7, 28.

QM W3126 (1 ♂ holotype) — Eungella Nat. Pk, Clarke Ra., Qld.

QM W3127 (1 ♀ paratype) — Eungella Nat. Pk, Clarke Ra., Qld.

*spinipectoris* Main

1969 *Cataxia spinipectoris* Main — *J. Aust. Ent. Soc.* 8: 201-3. Figs 2, 8.

QM W2876 (1 ♂ holotype) — Toowoomba, Qld.

DIPLURIDAE

*afoveolata* Raven

1984 *Carrai afoveolata* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 25-7. Figs 4, 9, 19, 37, 40, 113-21. Table 9.

QM S581 (1 ♂ holotype) — Carrai State Forest, N.S.W.

QM S582 (1 ♀ paratype) — Carrai State Forest, N.S.W.

*australiensis* Raven

1984 *Stenygrocerus australiensis* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 63-5. Figs 6, 12, 30, 32, 37, 215-24. Table 26.

QM S591 (♀ paratype) — Cann River Valley Forest, East Gippsland, Vic.

QM S592 (4 ♀ paratypes) — Cann River Valley Forest, East Gippsland, Vic.

*barina* Raven

1982 *Ixamatus barina* Raven — *Aust. J. Zool.* 30: 1041-44. Figs 1, 9-11, 12, 19, 28, 38, 39, 52, 61, 72. Tables 1, 2.

QM S600 (1 ♂ holotype) — Baldy Mt., Qld.

QM S602 (1 ♀ paratype) — Majors Mt., Qld.

QM S601 (2 ♂, 1 ♀ paratypes) — Baldy Mt., Qld.

- QM S603 (4 ♀ paratypes) — Majors Mt., Qld.  
 QM S604 (1 ♀ paratype) — Boonjee, Qld.  
 QM S605 (6 ♀ paratypes) — Malaan State Forest, Qld.  
 QM S606 (1 ♀ paratype) — Mt Fisher, Qld.
- bicuspidata* Raven  
 1984 *Australothele bicuspidata* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 10-11. Figs 14, 40, 47, 62, 94. Table 3.  
 QM S578 (1 ♀ holotype) — Point Lookout, New England Nat. Pk, N.S.W.
- brisbanensis* Raven  
 1984 *Namea brisbanensis* Raven — *Aust. J. Zool. Suppl. Ser.* 96: 12-5. Figs 4, 26, 36, 48, 71, 91, 104. Table 2.  
 QM S767 (1 ♂ holotype) — Brookfield, Brisbane, Qld.  
 QM S768 (1 ♀ paratype) — Mt Coot-tha, Brisbane, Qld.  
 QM S210 (1 ♀ paratype) — Rochedale, Brisbane, Qld.  
 QM S769, S770 (2 ♂, 1 ♀ paratypes) — Brookfield, Brisbane, Qld.  
 QM S771 (2 ♂ paratypes) — Ashmore Village, near Southport, Qld.  
 QM S772 (1 ♂ paratype) — Booloumba Ck, Conondale Ra., Qld.  
 QM S773 (1 ♂ paratype) — Colvin Scrub, via Canungra, Qld.  
 QM S774 (1 ♂ paratype) — Mt Glorious, Qld.  
 QM S775 (1 ♀ paratype) — Mt Mee, Qld.  
 QM S776 (1 ♀ paratype) — Mt Nebo, Qld.  
 QM S777 (1 ♂ paratype) — Palmwoods, Qld.  
 QM S778, S779 (2 ♀ paratypes) — Rochedale State Forest, Qld.
- bulburin* Raven  
 1981 *Xamiatus bulburin* Raven — *Aust. J. Zool.* 29: 349-52. Figs 21, 25, 31, 37, 39. Table 4.  
 QM S714 (1 ♂ holotype) — Bulburin State Forest, Qld.  
 QM S715 (1 ♂ paratype) — Mt Bauple, Qld.
- bunya* Raven  
 1984 *Namea bunya* Raven — *Aust. J. Zool. Suppl. Ser.* 96: 15-6. Figs 57, 81. Table 3.  
 QM S780 (1 ♂ holotype) — Bunya Mts, Qld.  
 QM S781 (1 ♂ paratype) — Bunya Mts, Qld.  
 QM S782 (1 ♂ paratype) — Deer Reserve, via Kilcoy, Qld.  
 QM S785 (2 ♂ paratypes) — Mt Mee, Qld.  
 QM S786 (1 ♂ paratype) — The Palms, via Cooyar, Qld.  
 QM S787 (1 ♂ paratype) — Ravensbourne Nat. Pk, Qld.
- QM S788 (1 ♂ paratype) — Upper Yarraman State Forest, Qld.  
 QM S789 (1 ♂ paratype) — Wrattens Camp, Qld.
- calcaria* Raven  
 1984 *Namea calcaria* Raven — *Aust. J. Zool. Suppl. Ser.* 96: 16-9. Figs 10, 21, 38, 43, 68, 79, 103, 108, 120, 124, 127. Table 4.  
 QM S790 (1 ♂ holotype) — Bulburin State Forest, Qld.  
 QM S791 (1 ♀ paratype) — Bulburin State Forest, Qld.  
 QM S792 (1 ♂ paratype) — Amamoor Ck, Qld.  
 QM S793 (1 ♂ paratype) — Brooyar Fire Tower, via Glastonbury, Qld.  
 QM S794 (2 ♂ paratypes) — Eurimbula Ck, Qld.
- caldera* Raven  
 1982 *Ixamatus caldera* Raven — *Aust. J. Zool.* 30: 1049-51. Figs 2, 11, 15, 21, 29, 34, 47, 50, 54, 60, 71. Tables 1, 3.  
 QM S626 (1 ♂ holotype) — Bar Mt., N.S.W.  
 QM S627 (1 ♀ paratype) — Bar Mt., N.S.W.  
 QM S628 (2 ♀ paratypes) — Bar Mt., N.S.W.  
 QM S629, S630 (6 ♂, 1 ♀ paratypes) — Tweed Lookout, N.S.W.  
 QM S631 (1 ♂ paratype) — Mt Bithongabel, Qld.  
 QM S632, S633 (2 ♂, 1 ♀ paratypes) — Repeater Stn, Springbrook, Qld.  
 QM S634 (1 ♀ paratype) — Lamington Nat. Pk, Qld.  
 QM S635 (1 ♀ paratype) — Cedar Ck, Mt Tamborine, Qld.  
 QM S645 (2 ♀ paratypes) — Whian Whian State Forest, N.S.W.
- callemonda* Raven  
 1984 *Namea callemonda* Raven — *Aust. J. Zool. Suppl. Ser.* 96: 19-22. Figs 7, 27, 34, 51, 61, 89, 96, 109, 121, 126, 131. Table 5.  
 QM S795 (1 ♂ holotype) — Bulburin State Forest, Qld.  
 QM S796 (1 ♀ paratype) — Bulburin State Forest, Qld.
- candidus* Raven  
 1982 *Ixamatus candidus* Raven — *Aust. J. Zool.* 30: 1051-4. Figs 11, 14, 22, 30, 35, 42, 51, 55, 63, 68, 73. Tables 1, 4.  
 QM S640 (1 ♂ holotype) — Poverty Point, N.S.W.  
 QM S642 (1 ♀ paratype) — Poverty Point, N.S.W.  
 QM S641 (2 ♂ paratypes) — Poverty Point, N.S.W.  
 QM S643 (1 ♂ paratype) — Victoria Pk, N.S.W.  
 QM S644 (1 ♂ paratype) — 'The Head', nr Killarney, Qld.

*capricornia* Raven

1984 *Namea capricornia* Raven — *Aust. J. Zool.*  
Suppl. Ser. 96: 10–2. Figs 15, 25, 31, 45, 56,  
72, 73, 102, 114, 123. Table 1.

QM S760 (1 ♂ holotype) — Crediton, Qld.

QM S761 (1 ♀ paratype) — Crediton, Qld.

QM S762, S763 (6 ♂, 2 ♀ paratypes) — Crediton,  
Qld.

QM S764 (1 ♂ paratype) — Mt Macartney, Cathu  
State Forest, Qld.

*curcubita* Raven

1984 *Namea curcubita* Raven — *Aust. J. Zool.*  
Suppl. Ser. 96: 22–4. Figs 13, 39, 69, 88, 119.  
Table 6.

QM S797 (1 ♂ holotype) — Wrattens Camp, via  
Widgee, Qld.

QM S798 (1 ♂ paratype) — Chevallum, Qld.

QM S799 (1 ♂ paratype) — Mt Tenison Woods,  
Qld.

*daemeli* Raven

1984 *Cethegus daemeli* Raven — *Aust. J. Zool.*  
Suppl. Ser. 93: 37–9. Figs 24, 122, 128, 133,  
144, 153, 160, 163, 164. Table 14.

QM S456 (1 ♂ holotype) — Line Hill, nr Lockhart  
R. Mission, Cape York, Qld.

QM S457 (1 ♀ paratype) — Line Hill, nr Lockhart  
R. Mission, Cape York, Qld.

QM S458, S460, S461, S463, S465–469,  
S472–475, S477 (3 ♂, 19 ♀ paratypes) — Line  
Hill, nr Lockhart R. Mission, Cape York, Qld.

*dahmsi* Raven

1984 *Namea dahmsi* Raven — *Aust. J. Zool.*  
Suppl. Ser. 96: 24–6. Figs 17, 20, 40, 50, 62,  
90, 99, 110. Table 7.

QM S800 (1 ♂ holotype) — Calamvale, Brisbane,  
Qld.

QM S801 (1 ♀ paratype) — Calamvale, Brisbane,  
Qld.

QM S802 (1 ♂ paratype) — Cabarlah, Crows  
Nest, Qld.

QM S803, S804 (2 ♂ paratypes) — Mt Nebo, Qld.

QM S805 (2 ♀ paratypes) — Teviot Brook, nr  
Boonah, Qld.

*dicalcaria* Raven

1984 *Namea dicalcaria* Raven — *Aust. J. Zool.*  
Suppl. Ser. 96: 26–9. Figs 9, 23, 41, 46, 53,  
65, 80, 86, 87, 92, 106, 118. Table 8.

QM S806 (1 ♂ holotype) — Mt Nardi, N.S.W.

QM S807 (1 ♀ paratype) — Mt Nardi, N.S.W.

QM S808 (2 ♂ paratypes) — Mt Nardi, N.S.W.

QM S809, S810 (2 ♂ paratypes) — Rotary Park,  
Lismore, N.S.W.

QM S811 (1 ♂ paratype) — Tregeagle, 10 km SE  
Lismore, N.S.W.

QM S812 (1 ♂ paratype) — Whian Whian State  
Forest, N.S.W.

*earthwatchorum* Raven

1984 *Aname earthwatchorum* Raven — *J.*  
*Arachnol.* 12: 184–7. Figs 1, 2, 6, 10, 17, 23,  
26, 32, 38, 39. Table 2.

QM S1207 (1 ♂ holotype) — Mt Bellenden Ker,  
Qld.

QM S1208 (1 ♀ paratype) — Mt Bellenden Ker,  
Qld.

QM S1209 (1 ♀ paratype) — Mt Bellenden Ker,  
Qld.

QM S1210 (1 ♂ 2 ♀ paratypes) — Mt Bellenden  
Ker, Qld.

QM S1211 (1 ♂ 1 ♀ paratype) — Mt Bellenden  
Ker, Qld.

QM S1212 (2 ♂ paratypes) — Mt Bellenden Ker,  
Qld.

QM S1213 (1 ♂ paratype) — Mt Bellenden Ker,  
Qld.

QM S1214 (1 ♂ paratype) — Mt Bellenden Ker,  
Qld.

QM S1215 (1 ♂ paratype) — Mt Bartle-Frere,  
Qld.

QM S1216 (1 ♀ paratype) — Mt Bartle-Frere,  
Qld.

QM S1217 (1 ♀ paratype) — Mt Lewis, Qld.

QM S1218 (1 ♀ paratype) — Mt Fisher, Qld.

QM S1219 (2 ♀ paratypes) — Malaan State  
Forest, Qld.

QM S1220 (1 ♀ paratype) — North Bell Park,  
Qld.

*elegans* Raven

1984 *Cethegus elegans* Raven — *Aust. J. Zool.*  
Suppl. Ser. 93: 40–2. Figs 26, 123, 125, 130,  
141, 147, 157, 172, 173. Table 15.

QM S495 (1 ♂ holotype) — Forty Mile Scrub, SW  
of Mt Garnet, Qld.

QM S496 (1 ♀ paratype) — Forty Mile Scrub, SW  
of Mt Garnet, Qld.

QM S755 (2 ♀ paratypes) — Forty Mile Scrub,  
SW of Mt Garnet, Qld.

*eungella* Raven

1984 *Namirea eungella* Raven — *Aust. J. Zool.*  
Suppl. Ser. 93: 56–7. Figs 38, 190, 194, 212.  
Table 22.

QM S523 (1 ♀ holotype) — Homevale, Qld.

QM S524 (1 ♀ paratype) — Finch Hatton, Qld.

QM S531 (1 ♀ paratype) — Eungella Nat. Pk,  
Qld.

*excavans* Raven

1984 *Namea excavans* Raven — *Aust. J. Zool.*  
Suppl. Ser. 96: 29–31. Figs 16, 29, 58, 59, 82,  
83, 111. Table 9.

- QM S813 (1 ♂ holotype) — Mt Glorious, Qld.  
 QM S814, S815 (2 ♂ paratypes) — Mt Glorious, Qld.  
 QM S830 (1 ♂ paratype) — Neurum Ck, Mt Mee, Qld.
- fischeri* Raven  
 1982 *Ixamatus fischeri* Raven — *Aust. J. Zool.* 30: 1055-8. Figs 3, 7, 11, 16, 23, 31, 36, 43, 44, 56, 65, 70. Tables 1, 5.  
 QM S727 (1 ♂ holotype) — Mt Banda Banda Beech Res., N.S.W.  
 QM S728 (1 ♀ paratype) — Mt Banda Banda Beech Res., N.S.W.
- giraulti* Rainbow  
 1914 *Chenistonia giraulti* Rainbow — *Rec. Aust. Mus.* 10: 243-7. Figs 52-7.  
 QM W22, W23 (2 ♀ paratypes) — Nelson, Qld. = *Selenocosmia* sp. — V.T.D.
- hanni* Raven  
 1984 *Cethegus hanni* Raven — *Aust. J. Zool.* Suppl. Ser. 93: 45-6. Figs 122, 134, 150, 178. Table 17.  
 QM S483 (1 ♀ holotype) — Near Hann R., Qld.
- hickuani* Raven  
 1984 *Aname hickmani* Raven — *J. Arachnol.* 12: 187-9. Figs 5, 8, 18, 19, 27, 35, 42. Table 3.  
 QM S1221 (1 ♂ holotype) — Bruxner Park, near Coffs Harbour, N.S.W.  
 QM S1222 (2 ♂ paratypes) — Bruxner Park, near Coffs Harbour, N.S.W.
- ilara* Raven  
 1982 *Xamiatus ilara* Raven — *Mem. Qd Mus.* 20 (3): 475-8. Figs 1, 5-12. Table 2.  
 QM S741 (1 ♂ holotype) — Blackdown Tableland, Qld.  
 QM S742 (1 ♀ paratype) — Blackdown Tableland, Qld.  
 QM S743 (5 ♂ paratypes) — Blackdown Tableland, Qld.
- insularis* Raven  
 1984 *Namirea insularis* Raven — *Aust. J. Zool.* Suppl. Ser. 93: 59-61. Figs 40, 186, 187, 192, 193, 200, 203, 204, 208, 213. Table 24.  
 QM S519 (1 ♂ holotype) — Burleigh Heads, Qld.  
 QM S520 (1 ♀ paratype) — Burleigh Heads, Qld.  
 QM S521, S522 (1 ♂, 1 ♀ paratypes) — Burleigh Headland, Qld.
- jamiesoni* Raven  
 1984 *Australothele jamiesoni* Raven — *Aust. J. Zool.* Suppl. Ser. 93: 11-5. Figs 1, 2, 7, 33, 34, 39, 40, 44, 46, 53, 59, 69, 75, 81-91. Table 4.  
 QM S550 (1 ♂ holotype) — Little Yabba Ck, Conondale Ra., Qld.
- QM S551 (1 ♀ paratype) — Amamoor, Qld.  
 QM S552 (1 ♀ paratype) — Blackbutt, Qld.  
 QM S553, S554 (2 ♂, 2 ♀ paratypes) — Foot of Blackbutt Ra., Qld.  
 QM S555 (1 ♀ paratype) — Boombana Nat. Pk, Qld.  
 QM S556 (4 ♀ paratypes) — Newmarket, Brisbane, Qld.  
 QM S557-560, S750 (2 ♂, 19 ♀ paratypes) — Bunya Mtns, Qld.  
 QM S561 (1 ♀ paratype) — Conondale Ra., Qld.  
 QM S562, S566 (2 ♂ paratypes) — Little Yabba Ck, Conondale Ra., Qld.  
 QM S563, S564 (2 ♀ paratypes) — Cunninghams Gap, Qld.  
 QM S565 (1 ♀ paratype) — Jimna State Forest, Qld.  
 QM S567, S568 (3 ♂, 5 ♀ paratypes) — Mistake Mtns, Qld.  
 QM S569 (1 ♀ paratype) — Cedar Ck Falls Rd, Mt Nebo, Qld.  
 QM S570 (1 ♀ paratype) — Mt Nebo, Qld.  
 QM S571 (1 ♂, 1 ♀ paratypes) — Toonumbar State Forest, N.S.W.  
 QM S753 (3 ♀ paratypes) — Mt Brisbane, Qld.
- jinna* Raven  
 1984 *Namea jinna* Raven — *Aust. J. Zool.* Suppl. Ser. 96: 35-7. Figs 6, 22, 35, 52, 54, 55, 77, 78, 100, 113, 122. Table 11.  
 QM S821 (1 ♂ holotype) — Mt Cabinet, via Jimna, Qld.  
 QM S822 (1 ♀ paratype) — Mt Cabinet, via Jimna, Qld.  
 QM S828, S829 (2 ♀ paratypes) — Mt Cabinet, via Jimna, Qld.  
 QM S823 (4 ♂ paratypes) — Booloumba Ck, Conondale Ra., Qld.  
 QM S824, S825 (1 ♂, 1 ♀ paratypes) — Conondale Ra., Qld.  
 QM S826 (1 ♀ paratype) — Little Yabba Ck, Conondale Ra., Qld.  
 QM S827 (5 ♂, 1 ♀ paratypes) — Mt Bauple, Qld.  
 QM S831-3 (6 ♂, 5 ♀ paratypes) — Tungi Ck, Jimna, Qld.
- kia* Raven  
 1981 *Xamiatus kia* Raven — *Aust. J. Zool.* 29: 358-61. Figs 20, 26, 32, 36, 40. Table 6.  
 QM S719 (1 ♂ holotype) — Newee Ck Rd, via Macksville, N.S.W.
- kirrama* Raven  
 1984 *Aname kirrama* Raven — *Aust. J. Zool.* Suppl. Ser. 96: 47-9. Figs 18, 30, 67, 85, 107, 125. Table 16.  
 QM S1186 (1 ♂ holotype) — Kirrama, via Kennedy, Qld.

*macgregori* Rainbow

1898 *Anstrochaes macgregori* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 332-3, Pl. vii. Figs 2, 2a.

QM W3575 (1 ♀ holotype) — Neneba, New Guinea.

1979 *Masteria macgregori* (Rainbow) Raven — *Aust. J. Zool.* 27: 629-30. Figs. 6, 7, 11, 15.

*maculata* Raven

1984 *Australothele maculata* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 7-10. Figs 13, 39, 40, 42, 45, 54, 58, 64, 70, 79, 80, 95-7, 110, 111. Table 2.

QM S541 (1 ♂ holotype) — Nr Lamington Nat. Pk, Qld.

QM S752 (1 ♀ paratype) — Nr Lamington Nat. Pk, Qld.

QM S542-6 (7 ♀ paratypes) — Nr Lamington Nat. Pk, Qld.

QM S547 (1 ♂ paratype) — Mt French, Qld.

QM S548, S549 (2 ♀ paratypes) — Flinders Peak, Qld.

*magna* Raven

1984 *Australothele magna* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 15-7. Figs 3, 8, 15, 39, 43, 50, 55, 57, 67, 72, 78, 101-5. Table 5.

QM S572 (1 ♂ holotype) — Wrattens Camp, via Widgee, Qld.

QM S573 (1 ♀ paratype) — Yarraman, Qld.

QM S574 (1 ♀ paratype) — Yarraman, Qld.

QM S575 (1 ♀ paratype) — Yarraman State Forest, Qld.

QM S576 (1 ♀ paratype) — Nanango Hospital excavation, Qld.

QM S577 (2 ♀ paratypes) — Marlaybrook, Qld.

QM S754 (1 ♀ paratype) — Junction View, Qld.

*magnificus* Raven

1981 *Xamiatus magnificus* Raven — *Aust. J. Zool.* 29: 352-8. Figs 9, 23, 28, 33-5, 42, 52. Table 5.

QM S717 (1 ♂ holotype) — Crater Nat. Pk, Qld.

QM S718 (1 ♀ paratype) — Majors Mt., Qld.

*montana* Raven

1984 *Aname montana* Raven — *J. Arachnol.* 12: 189-90. Figs 7, 11, 12, 28, 29, 31, 40, 43. Table 4.

QM S1223 (1 ♂ holotype) — 13 km from Beechwood, N.S.W.

QM S1224 (1 ♀ paratype) — 13 km from Beechwood, N.S.W.

QM S1225 (4 ♂ paratypes) — Bruxner Park, N.S.W.

QM S1226 (3 ♂ paratypes) — Never Never, Dorrigo National Park, N.S.W.

*montana* Raven

1984 *Australothele montana* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 17-9. Figs 16, 40, 49, 61, 98-100. Table 6.

QM S579 (1 ♀ holotype) — New England Nat. Pk, N.S.W.

QM S580 (1 penult. ♂ paratype) — New England Nat. Pk, N.S.W.

*montislewisi* Raven

1984 *Namirea montislewisi* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 61-3. Figs 29, 31, 38, 123, 188, 191, 214. Table 25.

QM S527 (1 ♀ holotype) — Mt Lewis, Qld.

QM S528 (2 ♂ paratypes) — Mt Lewis, Qld.

QM S529, S530 (3 ♀ paratypes) — Mt Finnigan, Qld.

*multispinosus* Raven

1984 *Cethegus multispinosus* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 46-8. Figs 122, 132, 151, 177. Table 18.

QM S481 (1 ♂ holotype) — 80 km N of Musgrave, Qld.

*musgravei* Raven

1982 *Ixamatus musgravei* Raven — *Aust. J. Zool.* 30: 1058-61. Figs 4, 11, 17, 25, 32, 37, 45, 46, 57, 62, 66, 74. Tables 1, 6.

QM S729 (1 ♂ holotype) — Point Lookout, New England Nat. Pk, N.S.W.

QM S730 (1 ♂, 1 ♀ paratypes) — Point Lookout, New England Nat. Pk, N.S.W.

*nebulosa* Raven

1984 *Namea nebulosa* Raven — *Aust. J. Zool. Suppl. Ser.* 96: 38-41. Figs 11, 19, 47, 60, 76, 98, 101, 117, 128. Table 12.

QM S834 (1 ♂ holotype) — Cable Tower 3, Mt Bellenden-Ker, Qld.

QM S835 (1 ♀ paratype) — Mt Bellenden-Ker, Qld.

QM S836-9 (18 ♂, 1 ♀ paratypes) — Mt Bellenden-Ker, Qld.

*nothofagi* Raven

1984 *Australothele nothofagi* Raven — *Aust. J. Zool. Suppl. Ser.* 93: 21-4. Figs 18, 39, 41, 48, 56, 63, 65, 66, 71, 76, 92, 93, 109, 112. Table 8.

QM S532 (1 ♂ holotype) — Mt Bithongabel, Lamington Nat. Pk, Qld.

QM S533 (1 ♂ paratype) — Mt Bithongabel, Lamington Nat. Pk, Qld.

QM S534 (1 ♂ paratype) — Mt Hobwee, Qld.

QM S535, S536 (3 ♂ paratypes) — Nr Lamington Nat. Pk, Qld.

QM S537 (1 ♂ paratype) — Lower Albert River, Qld.

- QM S538 (1 ♀ paratype) — Springbrook, Qld.  
 QM S539 (1 ♂, 1 ♀ paratypes) — Border Fence, Levers Plateau, N.S.W.  
 QM S540 (1 ♂ paratype) — Border Fence, Philp Farm, Levers Plateau, N.S.W.
- olympus* Raven  
 1984 *Namea olympus* Raven — *Aust. J. Zool. Suppl. Ser. 96*: 41–2. Figs 8, 37, 63, 94, 115. Table 13.  
 QM S1163 (1 ♂ holotype) — Mt Bartle-Frere, Qld.  
 QM S1164 (1 ♂ paratype) — Mt Bartle-Frere, Qld.
- pallipes* Raven  
 1984 *Cethegus pallipes* Raven — *Aust. J. Zool. Suppl. Ser. 93*: 48–9. Figs 23, 122, 135, 154, 182, 183. Table 19.  
 QM S484 (1 ♂ holotype) — Mt Cook, Cooktown, Qld.  
 QM S485 (1 ♀ paratype) — Mt Cook, Cooktown, Qld.  
 QM S486 (4 ♀ paratypes) — Amos Bay, nr Cooktown, Qld.
- planipes* Raven  
 1984 *Namirea planipes* Raven — *Aust. J. Zool. Suppl. Ser. 93*: 52–5. Figs 5, 11, 28, 39, 40, 108, 185, 189, 196, 197, 199, 202, 206, 207, 209–11. Table 21.  
 QM S498 (1 ♂ holotype) — Rochedale State Forest, Qld.  
 QM S515 (1 ♂ paratype) — Mt Nebo, Qld.  
 QM S499, S500 (1 ♂, 3 ♀ paratypes) — Rochedale State Forest, Qld.  
 QM S501 (1 ♀ paratype) — Amamoor, Qld.  
 QM S502 (1 ♂ paratype) — Deer Reserve, via Kilcoy, Qld.  
 QM S503 (1 ♂ paratype) — Hotham Ck Rd, nr Pimpama, Qld.  
 QM S504, S505 (1 ♂, 1 ♀ paratypes) — Mt Cainbale, Lamington Nat. Pk, Qld.  
 QM S506 (1 ♂ paratype) — Lamington Nat. Pk, Qld.  
 QM S507–9 (6 ♀ paratypes) — Mt Coot-tha, Brisbane, Qld.  
 QM S510 (1 ♀ paratype) — Mt Gillies, Qld.  
 QM S511 (1 ♀ paratype) — Mt Lindsay, Qld.  
 QM S512–4, S516, S517 (4 ♂, 4 ♀ paratypes) — Mt Nebo, Qld.  
 QM S518 (1 ♀ paratype) — Mt Tamborine, Qld.
- robustus* Raven  
 1984 *Cethegus robustus* Raven — *Aust. J. Zool. Suppl. Ser. 93*: 50–1. Figs 27, 123, 138, 152, 175, 176, 179–81. Table 20.  
 QM S489 (1 ♀ holotype) — Chillagoe, Qld.  
 QM S490 (4 ♂ paratypes) — Chillagoe, Qld.
- rubrifrons* Raven  
 1981 *Xamiatus rubrifrons* Raven — *Aust. J. Zool. 29*: 344–9. Figs 17, 18, 24, 29, 38, 41, 43, 51, 57, 62, 66–8. Table 3.  
 QM S704 (1 ♂ holotype) — Conondale Ra., Qld.  
 QM S706 (1 ♀ paratype) — Conondale Ra., Qld.  
 QM S705 (2 ♂, 1 ♀, 1 juv. paratypes) — Conondale Ra., Qld.  
 QM S707 (1 ♂ paratype) — 6 km NW Mt Nebo, Qld.  
 QM S708–10 (2 ♂, 1 ♀ paratypes) — Mt Nebo, Qld.
- salanitri* Raven  
 1984 *Namea salanitri* Raven — *Aust. J. Zool. Suppl. Ser. 96*: 42–5. Figs 3, 28, 33, 42, 66, 84, 97, 116, 129. Table 14.  
 QM S1166 (1 ♂ holotype) — Mt Mee, Qld.  
 QM S1167 (1 ♀ paratype) — Mt Mee, Qld.  
 QM S1175–7 (3 ♂, 2 ♀ paratypes) — Mt Mee, Qld.  
 QM S1168, S1169 (2 ♂, 1 ♀ paratypes) — Bald Mt., via Emuvalle, Qld.  
 QM S1170 (1 ♂ paratype) — Border Fence, Levers Plateau, Qld.  
 QM S1171 (1 ♂ paratype) — Philp Farm, Levers Plateau, Qld.  
 QM S1172, S1173 (1 ♂, 1 ♀ paratypes) — Mistake Mtns, Qld.  
 QM S1174 (3 ♀ paratypes) — Mt Bithongabel, Qld.  
 QM S1178 (1 ♂ paratype) — Mt Superbus, Qld.  
 QM S1179 (4 ♀ paratypes) — Mt Tenison Woods, Qld.  
 QM S1180–82 (7 ♂, 1 ♀ paratypes) — Plateau S of 'The Head', via Killarney, Qld.  
 QM S1183 (2 ♀ paratypes) — Mt Clunie, N.S.W.
- saundersi* Raven  
 1984 *Namea saundersi* Raven — *Aust. J. Zool. Suppl. Ser. 96*: 45–7. Figs 5, 32, 64, 74, 75. Table 15.  
 QM S1184 (1 ♂ holotype) — Mt Spec Nat. Pk, Qld.  
 QM S1185 (1 ♂ paratype) — Mt Spec Nat. Pk, Qld.
- toddae* Raven  
 1979 *Masteria toddae* Raven — *Aust. J. Zool. 27*: 630–5. Figs 2, 8, 9, 12, 13, 16, 17, 18–29.  
 QM S198 (1 ♂ holotype) — Home Rule, Qld.  
 QM S199 (5 ♂, 1 ♀ paratypes) — Home Rule, Qld.  
 QM S200 (1 ♂ paratype) — Shiptons Flat, Qld.  
 QM S201 (1 ♂, 1 ♀, 4 juv. paratypes) — Twelve Mile Scrub, Qld.  
 QM S202 (1 ♂, 1 juv. paratypes) — Spear Ck, Qld.

- QM S203 (1 ♀, 2 juv. paratypes) — Mt Finlay, Qld.  
 QM S204 (4 juv. paratypes) — Gordon Ck, Iron Ra., Qld.  
 QM S206 (2 ♂, 1 ♀ paratypes) — Majors Mt., Qld.  
*tropica* Raven  
 1984 *Aname tropica* Raven — *J. Arachnol.* 12: 192. Figs 13, 30. Table 5.  
 QM S1227 (1 ♂ holotype) — Lamond Hill, Iron Range, Qld.  
*webbae* Raven  
 1982 *Ixamatus webbae* Raven — *Aust. J. Zool.* 30: 1062-6. Figs 6, 8, 11, 18, 26, 27, 48, 49, 58, 59, 75. Tables 1, 7.  
 QM S731 (1 ♂ holotype) — Lamington Nat. Pk, Qld.  
 QM S732 (1 ♀ paratype) — Lamington Nat. Pk, Qld.  
 QM S734 (1 ♂ paratype) — Lamington Nat. Pk, Qld.  
 QM S733 (1 ♂ paratype) — Mt Bithongabel, Qld.  
 QM S735 (1 ♀ paratype) — Springbrook, Qld.  
 QM S736 (3 ♀ paratypes) — Mt Hobwee, Qld.  
 QM S737 (1 ♀ paratype) — Binna Burra, Qld.  
 QM S738 (6 ♂ paratypes) — Broken Head, N.S.W.

## HEXATHELIDAE

- boycei* Raven  
 1978 *Bymainiella boycei* Raven — *Aust. J. Zool. Suppl. Ser.* 65: 16-22. Figs 1, 6, 13, 14, 19, 20, 44, 52, 53, 66-8.  
 QM W4869 (1 ♂ holotype) — Boyce Reserve, Toowoomba, Qld.  
 QM W4870, W6008 (2 ♀ paratypes) — Boyce Reserve, Toowoomba, Qld.  
 QM W6006 (1 ♀ paratype) — Bunya Mts Nat. Pk, Qld.  
*cannoni* Raven  
 1978 *Bymainiella cannoni* Raven — *Aust. J. Zool. Suppl. Ser.* 65: 34-9. Figs 1, 10, 35-8, 48, 49, 60, 61.  
 QM W6014 (1 ♂ holotype) — Lamington Nat. Pk, Qld.  
 QM W6015 (1 juv. ♀ paratype) — Mt Cainbale, Qld.  
*lugubris* Raven  
 1978 *Bymainiella lugubris* Raven — *Aust. J. Zool. Suppl. Ser.* 65: 56-2. Figs 1, 93, 94, 99-101, 110, 113, 114, 120.  
 QM W6016 (1 ♂ holotype) — New England Plateau, N.S.W.  
 QM W6017-6023 (7 ♀ paratypes) — New England Plateau, N.S.W.

- QM W6024-6027 (4 ♀ paratypes) — New England Plateau, N.S.W.

*monteithi* Raven

- 1978 *Bymainiella monteithi* Raven — *Aust. J. Zool. Suppl. Ser.* 65: 62-6. Figs 1, 95, 96, 102-5, 111, 115, 116, 121.  
 QM W6029 (1 ♂ holotype) — Cunninghams Gap, Qld.  
 QM W6030 (1 ♀ paratype) — Cunninghams Gap, Qld.  
 QM W6031-33 (2 ♂, 1 ♀ paratypes) — Lower Ck, N.S.W.  
 QM W6034 (1 ♀ paratype) — Mistake Mts, Qld.  
*montisbossi* Raven  
 1978 *Bymainiella montisbossi* Raven — *Aust. J. Zool. Suppl. Ser.* 65: 42-6. Figs 1, 12, 18, 41-3, 51, 64, 65, 74.  
 QM W6036 (1 ♂ holotype) — Mt Banda Banda Beech Res., N.S.W.  
 QM W6037, W6038 (2 ♀ paratypes) — 2.8 km from Beechwood, N.S.W.  
 QM W6039, W6040 (2 ♀ paratypes) — Nr summit Mt Boss, N.S.W.  
 QM W6041-3 (3 ♀ paratypes) — Mt Boss region, N.S.W.

*terraereginae* Raven

- 1976 *Hexathele terraereginae* Raven — *Proc. R. Soc. Qd* 87: 53-7. Figs. 1A-H, 2A-D, G-L. Tables 1-3.  
 QM W4849 (1 ♂ holotype) — Lamington Plateau, Qld.  
 QM W4850-8 (2 ♂, 7 ♀ paratypes) — Lamington Plateau, Qld.  
 QM W4859-65 (3 penult. ♂, 4 ♀ paratypes) — Lamington Nat. Pk, Qld.  
 1978 *Bymainiella terraereginae* Raven — *Aust. J. Zool. Suppl. Ser.* 65: 72-4. Type species of gen. nov.

## MIGIDAE

*cunicularius* Main

- 1983 *Homogona cunicularius* Main — *J. Aust. Ent. Soc.* 22: 89-91. Figs 6, 13-6, 20-3.  
 QM W2472 (1 ♀ holotype) — North Cedar Ck, Qld.  
 QM W5654 (1 ♀ paratype) — Mt Finlay, Qld.  
*terraereginae* Raven  
 1984 *Heteromigas terraereginae* Raven — *Aust. J. Zool.* 32: 386-9. Figs 14-22, Table 2.  
 QM S1232 (1 ♂ holotype) — Mt Goonaneman, Qld.  
 QM S1233 (1 ♀ paratype) — Mt Goonaneman, Qld.  
 QM S1234 (3 ♂ 3 ♀ paratypes) — Mt Goonaneman, Qld.

*variapalpus* Raven

1984 *Migas variapalpus* Raven — *Aust. J. Zool.*  
32: 381–5. Figs 1–10. Table 1.

QM S1228 (1 ♂ holotype) — O'Reilly's Guest  
House, Lamington Nat. Pk, Qld.

QM S1229 (1 ♀ paratype) — O'Reilly's Guest  
House, Lamington Nat. Pk, Qld.

## ARANEOMORPHAE

## AMAUROBIIDAE

*agrestis* Davies

1976 *Dardurus agrestis* Davies — *Mem. Qd Mus.*  
17 (3): 407–8. Figs 19f, 21.

QM W4900 (1 ♀ holotype) — Black Duck Ck, nr  
Junction View, Qld.

QM W4901 (1 penult. ♂, 2 juv. paratypes) —  
Black Duck Ck, Qld.

*nemoralis* Davies

1976 *Dardurus nemoralis* Davies — *Mem. Qd*  
*Mus.* 17 (3): 405–7. Figs 16–8, 19d.

QM W4896 (1 ♀ holotype) — Mt Tamborine,  
Qld.

QM W4897 (2 ♂, 2 ♀ paratypes) — Mt  
Tamborine, Qld.

*saltuosus* Davies

1976 *Dardurus saltuosus* Davies — *Mem. Qd*  
*Mus.* 17 (3): 407. Figs 19e, 20.

QM W4898 (1 ♀ holotype) — Yabba State  
Forest, Richmond Ra., N.S.W.

QM W4899 (1 ♂, 1 juv. paratypes) — Yabba  
State Forest, Richmond Ra., N.S.W.

*silvaticus* Davies

1976 *Dardurus silvaticus* Davies — *Mem. Qd*  
*Mus.* 17 (3): 403–4. Figs 11–3, 19c. Pl. 59B,  
60A.

QM W4890 (1 ♀ holotype) — Mt Glorious, Qld.

QM W4891, W4892 (2 ♂, 2 ♀ paratypes) — Mt  
Glorious, Qld.

*spinipes* Davies

1976 *Dardurus spinipes* Davies — *Mem. Qd Mus.*

17 (3): 400–3. Figs 1–10, 19a. Pl. 59A, 60B.

QM W4877 (1 ♀ holotype) — Fig Tree Pocket,  
Brisbane, Qld.

QM W4878–4887 (8 ♂, 1 penult. ♂, 17 ♀, 3 juv.  
paratypes) — Fig Tree Pocket, Brisbane, Qld.

QM W4888, W4889 (1 ♂, 10 ♀, 2 juv. paratypes)  
— Conondale Ra., Qld.

*tamborinensis* Davies

1976 *Dardurus tamborinensis* Davies — *Mem. Qd*  
*Mus.* 17 (3): 404–5. Figs 14, 15, 19b.

QM W4893 (1 ♀ holotype) — Mt Tamborine,  
Qld.

QM W4894, W4895 (3 ♂, 1 ♀ paratypes) — Mt  
Tamborine, Qld.

*woolowa* Davies

1984 *Pitonga woolowa* Davies — *Mem. Qd Mus.*  
21 (2): 261–269. Figs 1–17.

QM S1300 (1 ♀ holotype) — Flying Fox Is., East  
Alligator R., N.T.

QM S1301, S1302 (1 ♂, 2 juv. paratypes) — East  
Alligator R., N.T.

QM S1303 (1 juv. paratype) — Port Farewell,  
East Alligator R., N.T.

## ANAPIDAE

*burra* Forster

1959 *Pseudanapis burra* Forster — *Trans. R. Soc.*  
*N.Z.* 86 (3, 4): 309–10. Figs 82–7.

QM S97 (1 ♂ holotype) — Binna Burra, Qld.

QM S98 (1 ♀ paratype) — Binna Burra, Qld.

*darlingtoni* Forster

1959 *Pseudanapis darlingtoni* Forster — *Trans.*  
*R. Soc. N.Z.* 86 (3, 4): 312–3. Figs 92–7.

QM S99 (1 ♀ paratype) — Mt Spurgeon, Qld.

*grossa* Forster

1959 *Pseudanapis grossa* Forster — *Trans. R.*  
*Soc. N.Z.* 86 (3, 4): 313–5. Figs 98–105.

QM S100 (1 ♂ holotype) — Ramu-Purari Divide,  
Gomanigu Valley, New Guinea.

*octocula* Forster

1959 *Pseudanapis octocula* Forster — *Trans. R.*  
*Soc. N.Z.* 86 (3, 4): 310–1. Figs 88–91.

QM S101 (1 ♂ holotype) — Binna Burra, Qld.

QM S102 (1 ♀ paratype) — Sunnybank, Brisbane,  
Qld.

## ARANEIDAE

*albopunctata* Rainbow

1898 *Cyrtophora albopunctata* Rainbow — *Proc.*  
*Linn. Soc. N.S.W.* 23: 339–40. Pl. vii. Fig. 5.

QM W3516 (1 ♀ holotype) — Neneba, Mt  
Scratchley, New Guinea. = *Cyrtophora*  
*moluccensis* (Dolesch.) n. syn. — V.T.D.

*biapicata* Koch

1980 *Eriophora biapicata* (Koch) — Davies, V.  
Todd. *Mem. Qd Mus.* 20 (1): 128.

QM S361 (1 ♂ neotype) — 64 km W of Westmar,  
Qld.

*bituberculata* Lamb

1911 *Dolophones bituberculata* Lamb — *Ann.*  
*Qd Mus.* 10: 172–3. Fig. 3.

QM W2121 (1 ♀ holotype) — Stafford-on-  
Kedron, Brisbane, Qld.

*depressus* Rainbow

1898 *Araneus depressus* Rainbow — *Proc. Linn.*  
*Soc. N.S.W.* 23: 340–2. Pl. vii. Figs 6, 6a.

QM W3517 (1 ♀, 1 juv. syntypes) — Neneba, New  
Guinea.



1942 *Araneus depressatulus* Roewer — *Katalog der Araneae*. 1: 826; *depressus* praecoc., nom. nov. for *depressus* Rainbow.

*katherina* Levi

1983 *Argiope katherina* Levi — *Bull. Mus. comp. Zool.* 150 (5): 300-2. Figs 211-6. Map 4.

QM S904 (1 ♀ holotype) — Katherine Gorge, N.T.

QM S905 (1 ♂, 1 juv. paratypes) — Katherine Gorge, N.T.

*loricata* Davies

1980 *Malkara loricata* Davies — *Proc. 8 Int. Congr. Arach. Vienna*: 377-82. Figs 1-4, 7-17.

QM S682 (1 ♀ holotype) — Mt Coot-tha, Qld.

QM S683-9 (5 ♂, 2 ♀ paratypes) — Mt Coot-tha, Qld.

*maculata piscatorum* De Vis

1911 *Nephila maculata piscatorum* De Vis — *Ann. Qd Mus.* 10: 167-8.

QM W2120 (1 ♀ holotype) — Dunk Is., Qld.

1958 *Nephila maculata* (Fabricius) — Bonnet, P. *Bibliographia Araneorum* 1: 3077.

*notandus* Rainbow

1912 *Araneus notandus* Rainbow — *Mem. Qd Mus.* 1: 196. Figs 7-9.

QM W2122 (1 ♀ holotype) — Blackall Ra., Qld.

*quadrispina* Lamb

1911 *Gasteracantha quadrispina* Lamb — *Ann. Qd Mus.* 10: 171. Fig. 2.

QM W2118 (1 ♀ holotype) — Eumundi, Qld.

1942 *Gasteracantha quadrispinosa* Cambridge — Roewer, C.F., *Katalog der Araneae*. 1: 947.

*radon* Levi

1983 *Argiope radon* Levi — *Bull. Mus. comp. Zool.* 150 (5): 318-20. Figs 317-23. Map 5.

QM S906 (1 ♀ holotype) — Radon Ck, N.T.

QM S907 (1 ♀, 2 ♂, 2 juv. paratypes) — Radon Ck, N.T.

*simoni* Rainbow

1898 *Cyrtophora simoni* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 337-9. Pl. vii. Figs 4, 4A.

QM W3508-15 (6 ♀, 2 juv. syntypes) — Mt Scratchley, Neneba, New Guinea. = *Cyrtophora moluccensis* (Dolesch.) n. syn. — V.T.D.

*transversus* Rainbow

1912 *Araneus transversus* Rainbow — *Mem. Qd Mus.* 1: 197-8. Figs 10-14.

QM W2123, W2126 (1 ♂, 1 ♀ syntypes) — Blackall Ra., Qld. ♀ = *Gea theridioides* (L. Koch) n. syn. — V.T.D.

ARCHAEIDAE

*daviesae* Forster & Platnick

1984 *Austrarchaea daviesae* Forster & Platnick — *Am. Mus. nat. Hist.* 178 (1): 22-3. Figs 66-8, 70-5.

QM S1091 (1 ♂ holotype) — Majors Mt., Atherton Tblld, Qld.

QM S1092 (1 ♀ paratype) — Malaan State Forest, Atherton Tblld, Qld.

*nodosa* Forster

1956 *Arachaea nodosa* Forster — *Mem. Qd Mus.* 13: 151-4. Figs 1-7.

QM W1955 (1 ♀ holotype) — Tallawallal, Qld.

1984 *Austrarchaea nodosa* (Forster) — Forster, R.R. & Platnick, N.I. *Am. Mus. nat. Hist.* 178 (1): 21. Type species for gen. nov.

CLUBIONIDAE

*giulianetti* Rainbow

1898 *Clubiona giulianetti* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 348-50. Pl. vii. Figs 11, 11a.

QM W3527 (4 ♂, 1 penult. ♂, 1 ♀ syntypes) — Neneba, New Guinea.

CTENIDAE

*devisi* Rainbow

1898 *Argoctenus devisi* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 350-1. Pl. vii. Fig. 12.

QM W3525 (1 ♀ holotype) — Mambare R., Tamatava Stn, New Guinea.

QM W3526 (1 juv. paratype) — Mambare R., Tamatava Stn, New Guinea.

CYATHOLIPIDAE

*silvestris* Davies

1978 *Teemenaarus silvestris* Davies — *Symp. zool. Soc. Lond.* 42: 293-302. Figs 1-20.

QM S1 (1 ♀ holotype) — Bulburin State Forest, Qld.

QM S2-11 (7 ♂, 4 ♀, 3 juv. paratypes) — Bulburin State Forest, Qld.

GNAPHOSIDAE

*beattyi* Platnick

1977 *Prodidomus beattyi* Platnick — *Bull. Br. arach. Soc.* 4 (2): 72-3. Figs 1-4.

QM S51 (1 ♂ holotype) — Shoal Bay Rd, NE of Darwin, N.T.

QM S52 (1 ♀ paratype) — Shoal Bay Rd, NE of Darwin, N.T.

## HETEROPODIDAE

*similaris* Rainbow

- 1898 *Sarotes similaris* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 346-7. Pl. vii. Fig. 10.  
 QM W3522, W3523 (1 penult. ♀, 1 juv. syntypes) — Mt Scratchley, Neneba, New Guinea.  
 1957 *Heteropoda similaris* (Rainbow) — Bonnet, P., *Bibliographia Araneorum*. 2: 2195.

## LINYPHIIDAE

*montanus* Rainbow

- 1912 *Bathypantes montanus* Rainbow — *Mem. Qd Mus.* 1: 194-5. Figs 5, 6.  
 QM W2125 (1 juv. holotype) — Blackall Ra., Qld. = *Argiope* sp. — V.T.D.

## LYCOSIDAE

*glarea* McKay

- 1979 *Trochosa glarea* McKay — *Mem. Qd Mus.* 19 (3): 296. Figs 4H, 4J.  
 QM S25 (1 ♀ holotype) — Big Tuan Ck, nr Boonooroo, Hervey Bay, Qld.

*lapidosa* McKay

- 1974 *Lycosa lapidosa* McKay — *Mem. Qd Mus.* 17 (1): 13-5. Figs 3 a,b,e-j.  
 QM W3865 (1 ♀ holotype) — Black Duck Ck, nr Junction View, Qld.  
 QM W3864 (5 ♂, 6 ♀, 4 penult. ♀ paratypes) — Black Duck Ck, nr Junction View, Qld.  
 QM W3866 (3 ♂, 6 ♀ paratypes) — Blackfellows Ck, Junction View, Qld.  
 QM W3867 (1 ♀ paratype) — Booloumba Ck, Kenilworth State Forest, Qld.  
 QM W3868 (2 ♂, 6 ♀, 3 penult. ♀ paratypes) — Pike Ck Dam, Texas, Qld.  
 QM W3869 (1 ♀ paratype) — Clarence R., 30 miles down from Tabulam, N.S.W.

*snelli* McKay

- 1974 *Lycosa snelli* McKay — *Mem. Qd Mus.* 17 (2): 313-6. Figs 1a-g, 2a-e.  
 QM W4021 (1 penult. ♂, 1 ♀ paratypes) — 18 km S Barradale, W.A.  
 QM W4022 (1 penult. ♂, 1 ♀, 3 juv. paratypes) — Marilla Stn, W.A.  
 QM W4023 (2 penult. ♂, 1 ♀ paratypes) — Yannarie R., nr Barradale, W.A.

*woonda* McKay

- 1979 *Lycosa woonda* McKay — *Mem. Qd Mus.* 19 (3): 269-71. Figs 10C,D,E, 11A-E, 12I.  
 QM S34 (1 ♂ holotype) — Albion Downs, Wiluna, W.A.  
 QM S35-37 (5 ♀ paratypes) — Albion Downs, Wiluna, W.A.

- QM S38 (1 ♀ paratype) — Moorine Rock, W.A.  
 QM S39 (1 penult. ♂, 1 ♀, 2 penult. ♀ paratypes) — Kalgoorlie, W.A.

*wundurra* McKay

- 1979 *Trochosa wundurra* McKay — *Mem. Qd Mus.* 19 (3): 296-7. Figs 4I, 4J.  
 QM S96 (1 ♀ holotype) — Hyden Lake, Hyden, W.A.

*yalkara* McKay

- 1979 *Lycosa yalkara* McKay — *Mem. Qd Mus.* 19 (3): 271-3. Figs 12A-H, 12J, 12K.  
 QM S40 (1 ♂ holotype) — 40 km S Mt Magnet, W.A.  
 QM S41 (1 ♂, 1 ♀ paratype) — Paynes Find, W.A.  
 QM S42, S44 (1 ♂, 2 ♀ paratypes) — Mt Gibson, W.A.  
 QM S43 (1 ♂ paratype) — 2 km S of Cue, W.A.

## METIDAE

*argentiopunctata* Rainbow

- 1916 *Meta argentiopunctata* Rainbow — *Rec. Aust. Mus.* 11: 85-6. Pl. xxi. Figs 6-8.  
 QM W24 (1 ♂, 3 ♀ syntypes) — Gordonvale, Qld. = *Mesida argentiopunctata* (Rainbow) n. comb. — V.T.D.

## MIMETIDAE

*bulburinensis* Heimer

- 1984 *Arcys bulburinensis* Heimer — *Ent. Abh. Mus. Tierk. Dresden.* 47 (9): 162-4. Figs 4-6.  
 QM S859 (1 ♀ paratype) — Binna Burra, Lamington Nat. Pk, Qld.

*gracilis* Heimer

- 1984 *Arcys gracilis* Heimer — *Ent. Abh. Mus. Tierk. Dresden.* 47 (9): 166-7. Figs 10, 11.  
 QM S857 (1 ♂ holotype) — Nagaragoon, Lamington Nat. Pk, Qld.  
 QM S858 (1 ♀ paratype) — Nagaragoon, Lamington Nat. Pk, Qld.

## MYSMENIDAE

*woodwardi* Forster

- 1959 *Mysmena woodwardi* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 306. Figs 167-71.  
 QM S103 (1 ♀ holotype) — Nondugl, Al Valley, New Guinea.

## PISAURIDAE

*amicabilis* Davies

- 1982 *Inola amicabilis* Davies — *Mem. Qd Mus.* 20 (3): 479-80. Figs 1-9, 18-20. Table 1.  
 QM S860 (1 ♀ holotype) — The Granites Track, nr Home Rule, Qld.

QM S861-868 (3 ♂, 5 ♀ paratypes) — The Granites Track, nr Home Rule, Qld.

QM S870-873 (7 ♂, 5 ♀ paratypes) — Intake Falls, nr Home Rule, Qld.

QM S881 (3 ♂, 1 ♀, 4 juvs. paratypes) — Mt Finlay, Qld.

QM S882 (1 ♂, 2 ♀, 4 juv. paratypes) — Mt Cook, Qld.

*cracentis* Davies

1982 *Inola cracentis* Davies — *Mem. Qd Mus.* 20 (3): 480-2. Figs 10-2, 16-7, 21-2.

QM S874 (1 ♀ holotype) — Boonjee, Qld.

QM S875-877 (2 ♂, 1 ♀, 1 juv. paratypes) — Boonjee, Qld.

*subtilis* Davies

1982 *Inola subtilis* Davies — *Mem. Qd Mus.* 20 (3): 482. Figs 13-5.

QM S878 (1 ♀ holotype) — Redlynch, Qld.

QM S879 (1 ♀, 1 juv. paratypes) — Redlynch, Qld.

QM S880 (1 ♀, 5 juv. paratypes) — Crystal Cascades, Qld.

*trux* Lamb

1911 *Dolomedes trux* Lamb — *Ann. Qd Mus.* 10: 173-4. Fig. 4.

QM G55 (1 ♀ holotype) — Ithaca Ck, Brisbane, Qld.

1980 *Megadolomedes australianus* (Koch) — Davies, V.T. & Raven, R.J., *Mem. Qd Mus.* 20: 136.

SALTICIDAE

*acuminatus* Rainbow

1912 *Menemerus acuminatus* Rainbow — *Mem. Qd Mus.* 1: 201-2. Figs 15, 16.

QM W2127 (1 ♀ holotype) — Blackall Ra., Qld.

*albopilosus* Rainbow

1898 *Attus albopilosus* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 352-4. Pl. vii. Fig. 13.

QM W3524 (1 ♂ holotype) — Tamatava Stn, Mambare R., New Guinea.

*ferreus* Griswold

1984 *Coccorchestes ferreus* Griswold — *Bull. Br. arachnol. Soc.* 6 (4): 147-8.

QM S1355 (1 ♀ holotype) — Iron Ra., Qld.

*gibbosus* Wanless

1981 *Cocalus gibbosus* Wanless — *Bull. Br. Mus. nat. Hist. (Zool.)* 41 (5): 258. Figs 4A-D.

QM S846 (1 ♂ holotype) — Lockerbie, Qld.

*jucunda* Rainbow

1912 *Mollika jucunda* Rainbow — *Mem. Qd Mus.* 1: 208-9. Fig. 3.

QM W2129-32, W2139 (1 ♂, 4 juv. syntypes) — Roper R., N.T.

SEGESTRIIDAE

*octospinata* Lamb

1912 *Macedonia octospinata* Lamb — *Ann. Qd Mus.* 10: 169-170. Fig. 1.

QM W2119 (1 ♀ holotype) — Stafford-on-Kedron, Brisbane, Qld.

1916 *Ariadna octospinata* (Lamb) — Rainbow, W.J., *Rec. Aust. Mus.* 11: 39.

SYMPHYTOGNATHIDAE

*australia* Forster

1959 *Anapistula australia* Forster — *Trans. R. Soc. N.Z.* 86 (3,4): 321. Figs 128-32.

QM S104 (1 ♀ holotype - slide) — Camp Mt., Qld.

*marplei* Forster

1959 *Patu marplei* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 320-1. Figs 124-7.

QM S105 (1 ♂ holotype) — Upolu, Malololelei, Western Samoa.

*woodwardi* Forster

1959 *Patu woodwardi* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 318-20. Figs 118-23.

QM S106 (1 ♀ holotype) — Lae, New Guinea.

QM S107 (1 ♂ paratype-2 slides) — Benaga, New Guinea.

TETRAGNATHIDAE

*lepida* Rainbow

1916 *Tetragnatha lepida* Rainbow — *Rec. Aust. Mus.* 11: 81-3. Pl. xxi. Figs 1-3.

QM W20 (1 ♂, 1 ♀ syntypes) — Gordonvale, Qld.

TEXTRICELLIDAE

*complexa* Forster

1959 *Textricella complexa* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 277-9. Figs 4-9.

QM S108 (1 ♂ holotype) — Royal Nat. Pk, N.S.W.

QM S108 (1 ♀ paratype) — Royal Nat. Pk, N.S.W.

*hickmani* Forster

1959 *Textricella hickmani* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 280-1. Figs 14-9.

QM 109 (1 ♂ holotype) — Mt Wellington, Tasmania.

QM 109 (1 ♀ paratype) — Mt Wellington, Tasmania.

*lamingtonensis* Forster

1959 *Textricella lamingtonensis* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 281-3. Figs 20-2.

QM S110 (1 ♀, + 1 abdomen paratypes) — Lamington Nat. Pk, Qld.

*tropica* Forster

1959 *Textricella tropica* Forster — *Trans. R. Soc. N.Z.* 86 (3, 4): 295–7. Figs 58–63.

QM S111 (1 ♂ holotype) — Daulo Pass, Central Highlands, New Guinea.

QM S111 (1 ♀ paratype) — Daulo Pass, Central Highlands, New Guinea.

## THERIDIIDAE

*argentiopunctata* Rainbow

1916 *Argyrodes argentiopunctata* Rainbow — *Rec. Aust. Mus.* 11: 51–2. Pl. xv. Figs 25–7.

QM W18 (1 penult. ♂, 1 ♀ syntypes) — Gordonvale, Qld. = *Thwaitesia argentiopunctata* (Rainbow) n. comb. — V.T.D.

*flavipes* Rainbow

1916 *Argyrodes flavipes* Rainbow — *Rec. Aust. Mus.* 11: 53. Pl. xv. Figs 29, 30.

QM W19 (1 ♂, 1 ♀ syntypes) — Gordonvale, Qld.

*nigronodosa* Rainbow

1912 *Argyrodes nigronodosa* Rainbow — *Mem. Qd Mus.* 1: 193–4. Figs 3, 4.

QM W2124 (1 penult. ♂ holotype) — Blackall Ra., Qld. = *Thwaitesia nigronodosa* (Rainbow) n. comb. — V.T.D.

*wau* Levi, Lubin & Robinson

1982 *Achaeearanea wau* Levi, Lubin & Robinson — *Pacif. Insects* 24 (2): 110–1. Figs 14–9.

QM S908 (2 ♀ paratypes) — Morobe Prov., Wau, New Guinea.

## THOMISIDAE

*bipunctata* Rainbow

1898 *Misumena bipunctata* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 342–3. Pl. vii. Fig. 7.

QM W3519 (1 ♀ holotype) — Neneba, New Guinea.

*colcloughi* Rainbow

1912 *Diaea colcloughi* Rainbow — *Mem. Qd Mus.* 1: 205, 206. Figs 1, 2.

QM W2192 (1 ♀ holotype) — Roper R., N.T.

*obscurus* Rainbow

1898 *Xysticus obscurus* Rainbow — *Proc. Linn. Soc.* 23: 345–6. Pl. vii. Fig. 9.

QM W3521 (1 ♀ holotype) — Neneba, New Guinea.

1901 *Xysticus rainbowi* Strand — *Zool. Anz.* 24: 66; *obscurus* praeocc., nom. nov. for *obscurus* Rainbow.

*ocellata* Rainbow

1898 *Diaea ocellata* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 344. Pl. vii. Figs 8, 8a.

QM W3520 (1 ♀ holotype) — Neneba, New Guinea.

## ULOBORIDAE

*congregabilis* Rainbow

1916 *Uloborus congregabilis* Rainbow — *Aust. Zool.* 1: 59–60. Figs 1, 2.

QM W12 (2 ♀ syntypes) — Parramatta, N.S.W.

*flavolineatus* Rainbow

1898 *Uloborus flavolineatus* Rainbow — *Proc. Linn. Soc. N.S.W.* 23: 333–4. Pl. vii. Figs 3, 3a.

QM W3504 (1 ♀ holotype) — Boirave, New Guinea.

QM W3505–7 (3 ♀ paratypes) — Boirave, New Guinea. = *Psechrus argentatus* (Dolesch.) n. syn. — V.T.D.

## ZODARIIDAE

*variepes* Rainbow

1912 *Storena variepes* Rainbow — *Mem. Qd Mus.* 1: 192–3. Figs 1, 2.

QM W2128 (1 ♀ holotype) — Blackall Ra., Qld.

1985 *Supunna picta* (L. Koch) — Davies, V. Todd, *Zoological Catalogue of Australia*. 3. *Araneae*: 117.

## LITERATURE CITED

MONROE, R., 1972. Chelicerate type-specimens in the Queensland Museum. *Mem. Qd Mus.* 16: 291–307.